



# Metachromatic leukodystrophy

Reviewed February 2013

## What is metachromatic leukodystrophy?

Metachromatic leukodystrophy is an inherited disorder characterized by the accumulation of fats called sulfatides in cells. This accumulation especially affects cells in the nervous system that produce myelin, the substance that insulates and protects nerves. Nerve cells covered by myelin make up a tissue called white matter. Sulfatide accumulation in myelin-producing cells causes progressive destruction of white matter (leukodystrophy) throughout the nervous system, including in the brain and spinal cord (the central nervous system) and the nerves connecting the brain and spinal cord to muscles and sensory cells that detect sensations such as touch, pain, heat, and sound (the peripheral nervous system).

In people with metachromatic leukodystrophy, white matter damage causes progressive deterioration of intellectual functions and motor skills, such as the ability to walk. Affected individuals also develop loss of sensation in the extremities (peripheral neuropathy), incontinence, seizures, paralysis, an inability to speak, blindness, and hearing loss. Eventually they lose awareness of their surroundings and become unresponsive. While neurological problems are the primary feature of metachromatic leukodystrophy, effects of sulfatide accumulation on other organs and tissues have been reported, most often involving the gallbladder.

The most common form of metachromatic leukodystrophy, affecting about 50 to 60 percent of all individuals with this disorder, is called the late infantile form. This form of the disorder usually appears in the second year of life. Affected children lose any speech they have developed, become weak, and develop problems with walking (gait disturbance). As the disorder worsens, muscle tone generally first decreases, and then increases to the point of rigidity. Individuals with the late infantile form of metachromatic leukodystrophy typically do not survive past childhood.

In 20 to 30 percent of individuals with metachromatic leukodystrophy, onset occurs between the age of 4 and adolescence. In this juvenile form, the first signs of the disorder may be behavioral problems and increasing difficulty with schoolwork. Progression of the disorder is slower than in the late infantile form, and affected individuals may survive for about 20 years after diagnosis.

The adult form of metachromatic leukodystrophy affects approximately 15 to 20 percent of individuals with the disorder. In this form, the first symptoms appear during the teenage years or later. Often behavioral problems such as alcoholism, drug abuse, or difficulties at school or work are the first symptoms to appear. The affected individual may experience psychiatric symptoms such as delusions or hallucinations. People with the adult form of metachromatic leukodystrophy may survive for 20 to 30 years after diagnosis. During this time there may be some periods of relative stability and other periods of more rapid decline.

Metachromatic leukodystrophy gets its name from the way cells with an accumulation of sulfatides appear when viewed under a microscope. The sulfatides form granules that are described as metachromatic, which means they pick up color differently than surrounding cellular material when stained for examination.

## How common is metachromatic leukodystrophy?

Metachromatic leukodystrophy is reported to occur in 1 in 40,000 to 160,000 individuals worldwide. The condition is more common in certain genetically isolated populations: 1 in 75 in a small group of Jews who immigrated to Israel from southern Arabia (Habbaniites), 1 in 2,500 in the western portion of the Navajo Nation, and 1 in 8,000 among Arab groups in Israel.

## What genes are related to metachromatic leukodystrophy?

Most individuals with metachromatic leukodystrophy have mutations in the *ARSA* gene, which provides instructions for making the enzyme arylsulfatase A. This enzyme is located in cellular structures called lysosomes, which are the cell's recycling centers. Within lysosomes, arylsulfatase A helps break down sulfatides. A few individuals with metachromatic leukodystrophy have mutations in the *PSAP* gene. This gene provides instructions for making a protein that is broken up (cleaved) into smaller proteins that assist enzymes in breaking down various fats. One of these smaller proteins is called saposin B; this protein works with arylsulfatase A to break down sulfatides.

Mutations in the *ARSA* or *PSAP* genes result in a decreased ability to break down sulfatides, resulting in the accumulation of these substances in cells. Excess sulfatides are toxic to the nervous system. The accumulation gradually destroys myelin-producing cells, leading to the impairment of nervous system function that occurs in metachromatic leukodystrophy.

In some cases, individuals with very low arylsulfatase A activity show no symptoms of metachromatic leukodystrophy. This condition is called pseudoarylsulfatase deficiency.

## Related Gene(s)

Changes in these genes are associated with metachromatic leukodystrophy.

- *ARSA*
- *PSAP*

## How do people inherit metachromatic leukodystrophy?

This condition is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

## Where can I find information about diagnosis or management of metachromatic leukodystrophy?

These resources address the diagnosis or management of metachromatic leukodystrophy and may include treatment providers.

- Gene Review: Arylsulfatase A Deficiency (<http://www.ncbi.nlm.nih.gov/books/NBK1130/>)
- Genetic Testing Registry: Metachromatic leukodystrophy (<http://www.ncbi.nlm.nih.gov/gtr/conditions/C0023522>)
- Genetic Testing Registry: Sphingolipid activator protein 1 deficiency (<http://www.ncbi.nlm.nih.gov/gtr/conditions/C0268262>)

You might also find information on the diagnosis or management of metachromatic leukodystrophy in Educational resources (<http://ghr.nlm.nih.gov/condition/metachromatic-leukodystrophy/show/Educational+resources>) and Patient support (<http://ghr.nlm.nih.gov/condition/metachromatic-leukodystrophy/show/Patient+support>).

General information about the diagnosis (<http://ghr.nlm.nih.gov/handbook/consult/diagnosis>) and management (<http://ghr.nlm.nih.gov/handbook/consult/treatment>) of genetic conditions is available in the Handbook. Read more about genetic testing (<http://ghr.nlm.nih.gov/handbook/testing>), particularly the difference between clinical tests and research tests (<http://ghr.nlm.nih.gov/handbook/testing/researchtesting>).

To locate a healthcare provider, see How can I find a genetics professional in my area? (<http://ghr.nlm.nih.gov/handbook/consult/findingprofessional>) in the Handbook.

## **Where can I find additional information about metachromatic leukodystrophy?**

You may find the following resources about metachromatic leukodystrophy helpful. These materials are written for the general public.

- MedlinePlus - Health information  
Health Topic: Leukodystrophies (<http://www.nlm.nih.gov/medlineplus/leukodystrophies.html>)
- Genetic and Rare Diseases Information Center - Information about genetic conditions and rare diseases (<http://rarediseases.info.nih.gov/gard/3230/resources/resources/1>)
- Additional NIH Resources - National Institutes of Health  
NINDS Metachromatic Leukodystrophy Information Page ([http://www.ninds.nih.gov/disorders/metachromatic\\_leukodystrophy/metachromatic\\_leukodystrophy.htm](http://www.ninds.nih.gov/disorders/metachromatic_leukodystrophy/metachromatic_leukodystrophy.htm))
- **Educational resources - Information pages**
  - Disease InfoSearch: Metachromatic leukodystrophy (<http://www.diseaseinfosearch.org/Metachromatic+leukodystrophy/4691>)
  - Orphanet ([http://www.orpha.net/consor/cgi-bin/OC\\_Exp.php?Lng=EN&Expert=512](http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=512))
- **Patient support - For patients and families**
  - Children Living with Inherited Metabolic Diseases (<http://www.climb.org.uk/>)

- Hunter's Hope Foundation (<http://www.huntershope.org/site/PageServer>)
- MLD Foundation (<http://mldfoundation.org/index.html>)
- National Organization for Rare Disorders (<http://www.rarediseases.org/rare-disease-information/rare-diseases/byID/212/viewAbstract>)
- National Tay-Sachs and Allied Diseases Association (<http://www.ntsad.org/>)
- United Leukodystrophy Foundation (<http://ulf.org/>)

You may also be interested in these resources, which are designed for healthcare professionals and researchers.

- Gene Reviews - Clinical summary (<http://www.ncbi.nlm.nih.gov/books/NBK1130/>)
- **Genetic Testing Registry - Repository of genetic test information**
  - Genetic Testing Registry: Metachromatic leukodystrophy (<http://www.ncbi.nlm.nih.gov/gtr/conditions/C0023522>)
  - Genetic Testing Registry: Sphingolipid activator protein 1 deficiency (<http://www.ncbi.nlm.nih.gov/gtr/conditions/C0268262>)
- ClinicalTrials.gov - Linking patients to medical research (<http://clinicaltrials.gov/ct2/results?cond=%22metachromatic%20leukodystrophy%22>)
- PubMed - Recent literature ([http://www.ncbi.nlm.nih.gov/pubmed?term=\(Leukodystrophy,%20Metachromatic%5BMAJR%5D\)%20AND%20\(metachromatic%20leukodystrophy%5BTIAB%5D\)%20AND%20english%5Bla%5D%20AND%20human%5Bmh%5D%20AND%20%22last%201800%20days%22%5Bdp%5D](http://www.ncbi.nlm.nih.gov/pubmed?term=(Leukodystrophy,%20Metachromatic%5BMAJR%5D)%20AND%20(metachromatic%20leukodystrophy%5BTIAB%5D)%20AND%20english%5Bla%5D%20AND%20human%5Bmh%5D%20AND%20%22last%201800%20days%22%5Bdp%5D))
- **OMIM - Genetic disorder catalog**
  - METACHROMATIC LEUKODYSTROPHY (<http://omim.org/entry/250100>)
  - METACHROMATIC LEUKODYSTROPHY DUE TO SAPOSIN B DEFICIENCY (<http://omim.org/entry/249900>)

## What other names do people use for metachromatic leukodystrophy?

- ARSA deficiency
- arylsulfatase A deficiency disease
- cerebral sclerosis, diffuse, metachromatic form
- cerebroside sulphatase deficiency disease
- Greenfield disease
- metachromatic leukoencephalopathy
- MLD
- sulfatide lipidosis
- sulfatidosis

For more information about naming genetic conditions, see the Genetics Home Reference Condition Naming Guidelines (<http://ghr.nlm.nih.gov/ConditionNameGuide>) and How are genetic conditions and genes named? (<http://ghr.nlm.nih.gov/handbook/mutationsanddisorders/naming>) in the Handbook.

## **What if I still have specific questions about metachromatic leukodystrophy?**

Ask the Genetic and Rare Diseases Information Center (<http://rarediseases.info.nih.gov/GARD/>).

## **What glossary definitions help with understanding metachromatic leukodystrophy?**

autosomal ; autosomal recessive ; cell ; central nervous system ; deficiency ; diagnosis ; enzyme ; gait ; gallbladder ; gene ; hallucinations ; incontinence ; inherited ; juvenile ; leukodystrophy ; leukoencephalopathy ; motor ; muscle tone ; nervous system ; neurological ; neuropathy ; peripheral ; peripheral nervous system ; peripheral neuropathy ; progression ; protein ; recessive ; sclerosis ; sensory cells ; teenage ; tissue ; toxic ; white matter

You may find definitions for these and many other terms in the Genetics Home Reference Glossary (<http://ghr.nlm.nih.gov/glossary>).

## **References**

- Al-Hassnan ZN, Al Dhalaan H, Patay Z, Faeih E, Al-Owain M, Al-Duraim A, Faiyaz-Ul-Haque M. Sphingolipid activator protein B deficiency: report of 9 Saudi patients and review of the literature. *J Child Neurol*. 2009 Dec;24(12):1513-9. doi: 10.1177/0883073809341269. Review. (<http://www.ncbi.nlm.nih.gov/pubmed/19955343?dopt=Abstract>)
- Artigalás O, Lagranha VL, Saraiva-Pereira ML, Burin MG, Lourenço CM, van der Linden H Jr, Santos ML, Rosemberg S, Steiner CE, Kok F, de Souza CF, Jardim LB, Giugliani R, Schwartz IV. Clinical and biochemical study of 29 Brazilian patients with metachromatic leukodystrophy. *J Inherit Metab Dis*. 2010 Dec;33 Suppl 3:S257-62. doi: 10.1007/s10545-010-9140-4. Epub 2010 Jul 2. (<http://www.ncbi.nlm.nih.gov/pubmed/20596894?dopt=Abstract>)
- Deconinck N, Messaoui A, Zierysen F, Kadhim H, Sznajer Y, Pelc K, Nassogne MC, Vanier MT, Dan B. Metachromatic leukodystrophy without arylsulfatase A deficiency: a new case of saposin-B deficiency. *Eur J Paediatr Neurol*. 2008 Jan;12(1):46-50. Epub 2007 Jul 5. (<http://www.ncbi.nlm.nih.gov/pubmed/17616409?dopt=Abstract>)
- Gene Review: Arylsulfatase A Deficiency (<http://www.ncbi.nlm.nih.gov/books/NBK1130/>)
- Gieselmann V, Krägeloh-Mann I. Metachromatic leukodystrophy--an update. *Neuropediatrics*. 2010 Feb;41(1):1-6. doi: 10.1055/s-0030-1253412. Epub 2010 Jun 22. Review. (<http://www.ncbi.nlm.nih.gov/pubmed/20571983?dopt=Abstract>)
- Grossi S, Regis S, Rosano C, Corsolini F, Uziel G, Sessa M, Di Rocco M, Parenti G, Deodato F, Leuzzi V, Biancheri R, Filocamo M. Molecular analysis of ARSA and PSAP genes in twenty-one Italian patients

with metachromatic leukodystrophy: identification and functional characterization of 11 novel ARSA alleles. Hum Mutat. 2008 Nov;29(11):E220-30. doi: 10.1002/humu.20851.

(<http://www.ncbi.nlm.nih.gov/pubmed/18693274?dopt=Abstract>)

- OMIM: METACHROMATIC LEUKODYSTROPHY DUE TO SAPOSIN B DEFICIENCY (<http://omim.org/entry/249900>)
- Poeppel P, Habetha M, Marcão A, Büssow H, Berna L, Gieselmann V. Missense mutations as a cause of metachromatic leukodystrophy. Degradation of arylsulfatase A in the endoplasmic reticulum. FEBS J. 2005 Mar;272(5):1179-88. (<http://www.ncbi.nlm.nih.gov/pubmed/15720392?dopt=Abstract>)
- Rauschka H, Colsch B, Baumann N, Wevers R, Schmidbauer M, Krammer M, Turpin JC, Lefevre M, Olivier C, Tardieu S, Krivit W, Moser H, Moser A, Gieselmann V, Zalc B, Cox T, Reuner U, Tylki-Szymanska A, Aboul-Enein F, LeGuern E, Bernheimer H, Berger J. Late-onset metachromatic leukodystrophy: genotype strongly influences phenotype. Neurology. 2006 Sep 12;67(5):859-63. (<http://www.ncbi.nlm.nih.gov/pubmed/16966551?dopt=Abstract>)
- Rodriguez-Waitkus PM, Byrd R, Hicks J. Metachromatic leukodystrophy and its effects on the gallbladder: a case report. Ultrastruct Pathol. 2011 Dec;35(6):271-6. doi: 10.3109/01913123.2011.620730. (<http://www.ncbi.nlm.nih.gov/pubmed/22085303?dopt=Abstract>)

The resources on this site should not be used as a substitute for professional medical care or advice. Users seeking information about a personal genetic disease, syndrome, or condition should consult with a qualified healthcare professional. See How can I find a genetics professional in my area? (<http://ghr.nlm.nih.gov/handbook/consult/findingprofessional>) in the Handbook.

[Reviewed](#): February 2013

[Published](#): July 28, 2014

---

[Lister Hill National Center for Biomedical Communications](#) ➡

[U.S. National Library of Medicine](#) ➡, [National Institutes of Health](#) ➡

[Department of Health & Human Services](#) ➡, [USA.gov](#) ➡

[Freedom of Information Act](#) ➡ [Copyright](#) ➡ [Privacy](#) ➡ [Accessibility](#) ➡

➡ Indicates a page outside Genetics Home Reference.

Links to web sites outside the Federal Government do not constitute an endorsement.

For selection criteria for web links, see Genetics Home Reference at <http://ghr.nlm.nih.gov/>